

176-177; Bpn, gudūcyādīvarga 237);

(4) Vallaris solanacea (Roth) O. Kuntze (Bt.) = V. heynei Spreng.

(DGV 5, p.56);

(5) Clitoria ternatea Linn. (Bpn, gudūcyādīvarga 111-112: = aparā-jitā; KB 1, p.802-804).

usana, neuter

(1) = marica (Bpn, harītakyādīvarga 59; WIRM 8, p.99; Siddhasāra-Nigh.

25; Pa.ra. 222; Nś. 303cd-304ab);

(2) = pippalīmūla (Bpn, harītakyādīvarga 64);

(3) = śunthī (Bpn, harītakyādīvarga 44);

(4) any of the pañcakola-group of drugs (masculine, neuter?) (Bt.).

eranda

Ricinus communis Linn.

kataka

Strychnos potatorum Linn.f. (HK; HB; Nadk. 1, nr. 2401; V. 5, p. 131;

Sharma; WIRM 10, p.66; DEP 6, p.382; Chopra; Bt.; Dutt; KB 3, p. 1647-

1649; Bpn, āmrādīphalavarga 108; Kai.Nigh., osadhivarga 1139cd-1140;

DWH 2, p.505-508).

kadali

Musa x paradisiaca Linn. (the plantain) and Musa x sapientum Linn. (the banana); these Linnaean names have been shown to represent hybrids (see WIRM 6, p.452).

kanda

(1) Amorphophallus campanulatus (Roxb.) Bl. ex Decne. (Bpn, śaka-varga 91-93; KB 4, p.2609-2610). The modern Bengali name of this plant is ol. Śivādāsa (a Bengali) on Cakradatta, amlapitta 26: kanda = vanya ola; ola is acc. to V. 4, p.66 a synonym of sūranakanda; vanasū-rana is mentioned by Ananta 8,656.

(2) Chionachne koenigii (Spreng.) Thw. = Coix koenigii Spreng. = Polytoca barbata Stapf (Chopra).