

artagala

- (1) Barleria strigosa Willd. (Bpn, puspa^varga 51-52; DGV 5,p.293-295; Kai.Nigh., osadhivarga 1049: B. strigosa Linn.; KB 3,p.1880-1881) = B. caerulea Roxb. (MW; PW; Vss); cf. DWH 3,p.44-45: Barleria species;
- (2) B. cristata Linn. (Rā.nigh., ed. Tripāthī, karavīradivarga 133: artagalā);
- (3) Xanthium strumarium Linn. (Bt.; L.S. Bhatnagar et al. in JRIM 8, 2, 1973, p.97); see DGV 5,p.34-35;
- (4) Acanthus ilicifolius Linn. (Bt.);
- (5) = kakubha (Da. on Su.Sū.38,10, Sū.39,7, Ci.7,6, U.9,19 and U.53, 11; see DGV 5,p.34-35: probably Lactuca serriola Linn. or L. indica Linn.);
- (6) = kantakīvrksa (Da. on Su.Sū.39,7) or kantakaphala (Da. on Su.U. 9,19); see DGV 5,p.34-35;
- (7) = hintāla (Indu on A.s.Ci.20,4: according to some authorities).

kuranta(ka)

- (1) Add the following references: Bpn, puspa^varga 51-52; Chopra; Dha. nigh., ed. P.V. Sharma, 1,268-269; Gul.; Dutt; HK: kuruntaka; Forbes Watson, p.329: kuruntaka; Na 2,nr.390; Rā.nigh., ed. Tripāthī, karavīradivarga 132.

- (2) Add the following references: VG; see DGV 5,p.121: kuruntīka, different from kuranta, is C. argentea Linn.

Add the following identifications:

- (3) Marsilea quadrifolia Linn. (MW; see WIRM 6,p.306 on M. minuta Linn. and M. quadrifolia Linn.);
- (4) = sitivāra (Vss): see śitivāraka;
- (5) = kutaja (Vss).

kurabaka = kuravaka = kurubaka

- (1) Change to: Barleria cristata Linn. (Bpn, puspa^varga 52; Dha.nigh., ed. P.V. Sharma, 1,268-269; Dha.nigh., ed. Ojhā, 1,278-279; DGV 5,p. 293-295; Dutt: kuruvaka; Kai.Nigh., osadhivarga 1047cd-1050ab; KB 3,p. 1879-1880; Na 2,nr.390; Vss) = B. ciliata Roxb. (Rā.nigh., ed. Tripāthī, karavīradivarga 129-130; see Hooker 4,p.488; cf. DWH 3,p.44-45: Barleria species);